

KINGSUN

Washing Machine & Tumble Dryer



2025 PRODUCT CATALOGUE

KINGSUN

Professional manufacturer In the field of home Appliances



CONTENTS



01-04
About us

05-18
Tumble Dryer



19-40
Top Loading



41-72
Twin Tub



73-76
Mini



TUMBLE DRYER



AIR VENTED

TUMBLE DRYER

Touch Control
Ultra-large Capacity
Temp Sensor
Fabric Type Selection
Program Selection
Efficiency C Class



○ Variety Configuration Available



+



○ Super Size Door



The 490mm big door with luxurious look provide super space for heavy loads working

○ Knob



Infinitely variable speed knob with chrome color

○ Cube Drum



3d diamond-facet Drum Pattern




High efficient air vents



Slant design for wind flow



FEATURES




Multi Program optional

According to different materials and drying needs, we can customize professional procedures and enjoy exclusive clothing.



Air Fresh

The three-dimensional circulating air penetrates into the fabric fiber, captures and decomposes the odor, takes away the odor and dust, and refreshes and dispels the odor.



Delay Start

User can set the delay start time from 1 hour to 24 hours separately. After the time you set runs out, this machine will start to work with the set program.




Ultraviolet sterilization

Built in UV lamp, forming a reverse direction with the metal inner barrel, comprehensive disinfection and sterilization, efficient sterilization.



Speed Dry

When there is a small amount of clothes, the space in the large capacity bucket can make the clothes stretch freely, reduce entanglement, make full contact with hot air, and achieve rapid drying




LED Lighting

Blue light, convenient for checking the drying status of clothes at night.




Anti-wrinkle

Dryer makes the clothes smooth with anti-wrinkle technology and gives you more convenient.




Bidirectional rotation

The intelligent control makes the machine rotate in both directions, generating three-dimensional circulating hot air, fully penetrating the fiber molecules, drying evenly, making the clothes fluffy and not stiff




LED Display

With the LED Display can accurately control the drying process.




LCD Display

Intelligent precision control the drying procedure, easy to set and dynamic display drying program, greatly enhance the user experience.



Temperature Sensor

Effectively avoid the heat damage of clothes by adjusting the temperature inside the drum.



Multiple filter

Washable filter screen structure, easy to filter lint and debris.



Child Lock

It can prevent children's press or careless mistake operations efficiently.



Cold drying of fine fabrics


Fine AI temperature control technology ensures that the drying temperature is maintained at 40-60 °C, and clothes are protected at low temperature.

UV ultraviolet sterilization combined with intelligent temperature and humidity sensing, while multiple sterilization, It can also achieve low-temperature care for clothing, truly achieving comprehensive intelligent and healthy drying

Smart HumiditySensor



Ultravioletsterilization



Multiple filter



Washable filter screen structure,
During the drying process, scattered fluff is efficiently
collected through hot air circulation,
At the same time, it is convenient for cleaning and
beneficial for maintaining smooth circulation of the air duct.

E1

KDV100-E668 / KDV80-E668

Capacity: 10 / 8kg

Net Weight (kg)

10kg: 36kg 8kg: 33kg

Control

ELctrical

40HQ Stuffing Qty

10kg: 162 8kg: 216

Dimension (mm)

10kg: 595x630x845 8kg: 595x560x845

Features

- Touch Control
- Big Knob
- Super Size Door
- Low temperature drying mode optional
- Washable filter screen structure
- Fabric Type Selection
- Program Selection
- Child Lock
- Front air outlet optional



Color option





E2 KDV100-E258 / KDV80-E258

Capacity: 10 / 8kg

Net Weight (kg)	
10kg:36kg	8kg:33kg
Control	
Electrical	
40HQ Stuffing Qty	
10kg:162	8kg:216
Dimension (mm)	
10kg: 595x630x845	8kg:595x560x845

Features

- Touch Control
- Super Size Door
- Temp Sensor
- Fabric Type Selection
- Program Selection
- Washable filter screen structure
- Child Lock
- Door Open Warning
- Front air outlet optional

Color option



E3 KDV100-E666 / KDV80-E666


Capacity: 10 / 8kg

Net Weight (kg)	
10kg:36kg	8kg:33kg
Control	
Electrical	
40HQ Stuffing Qty	
10kg:162	8kg:216
Dimension (mm)	
10kg: 595x630x845	8kg:595x560x845

Features

- Touch Control
- Big Knob
- Super Size Door
- Low temperature drying mode optional
- Washable filter screen structure
- Fabric Type Selection
- Program Selection
- Child Lock
- Front air outlet optional

Color option



E4 KDV100-E256 / KDV80-E256



Capacity: 10 / 8kg

Net Weight (kg)	
10kg:36kg	8kg:33kg
Control	
Electrical	
40HQ Stuffing Qty	
10kg:162	8kg:216
Dimension (mm)	
10kg: 595x630x845	8kg:595x560x845

Features

- Touch Control
- Temp Sensor
- Fabric Type Selection
- Program Selection
- Child Lock
- Washable filter screen structure
- Door Open Warning
- Front air outlet optional

Color option



E5 KDV100-E116 / KDV80-E116

Capacity: 10 / 8kg

Net Weight (kg)	
10kg:36kg	8kg:33kg
Control	
Electrical	
40HQ Stuffing Qty	
10kg:162	8kg:216
Dimension (mm)	
10kg: 595x630x845	8kg:595x560x845

Features

- Temp Sensor
- Fabric Type Selection
- Program Selection
- Child Lock
- Washable filter screen structure
- Door Open Warning
- Front air outlet optional

Color option





M1 KDV100-EC108 / KDV80-EC108

Capacity : 10 / 8kg

Net Weight (kg)
10kg:36kg 8kg:33kg

Control
Mechanical


40HQ Stuffing Qty
10kg:162 8kg:216

Dimension (mm)
10kg: 595x630x845 8kg:595x560x845

Features

Fashionable and minimalist exterior design
Deluxe double layer anti scald door
30' Fast dry
Adjustable drying time optional
Washable filter screen, multiple filtration
Super Size door
Multiple overheating protection device
Resistance wire heater for efficient heating
Front air outlet optional

Color option
□ ■ ■



M2 KDV100-EC106 / KDV80-EC106

Capacity 10 / 8kg

Net Weight (kg)
10kg:36kg 8kg:33kg

Control
Mechanical

40HQ Stuffing Qty
10kg:162 8kg:216

Dimension (mm)
10kg: 595x630x845 8kg:595x560x845

Features

Fashionable and minimalist exterior design
30' Fast dry
Adjustable drying time optional
Washable filter screen, multiple filtration
Super Size door
Multiple overheating protection device
Resistance wire heater for efficient heating
Front air outlet optional

Color option
□ ■ ■



S1

KDV40-EMS688

Capacity 4kg

Net Weight (kg)
20kg

Control
ELctrical

40HQ Stuffing Qty
394


Dimension (mm)
535x420x645

Features

Knob with colorful LCD screen
Program selection
Luxury and luxurious appearance
Temp sensor
Child Lock
Washable filter screen, multiple filtration
Wall-mounted installation optional



Color option
□ ■ ■





S2

KDV40-EM998


Capacity 4kg

Net Weight (kg)
20kg
Control
Electrical
40HQ Stuffing Qty
394
Dimension (mm)
535*420*645

Features

- Touch control
- LCD Large screen display
- Program selection
- Luxury and luxurious appearance
- Temp sensor
- Child Lock
- Washable filter screen, multiple filtration
- Wall-mounted installation optional

Color option



S3

KDV40-EM996


Capacity 4kg

Net Weight (kg)
20kg
Control
Electrical
40HQ Stuffing Qty
394
Dimension (mm)
535*420*645

Features

- Touch control
- LCD Large screen display
- Program selection
- Classic exterior design
- Temp sensor
- Child Lock
- Washable filter screen, multiple filtration
- Wall-mounted installation optional

Color option



S4

KDV40-EM288


Capacity 4kg

Net Weight (kg)
20kg
Control
Electrical
40HQ Stuffing Qty
394
Dimension (mm)
535*420*645

Features

- Touch control
- Big knob
- Program selection
- Luxury and luxurious appearance
- Temp sensor
- Washable filter screen, multiple filtration
- Wall-mounted installation optional

Color option



S5

KDV40-EM286


Capacity 4kg

Net Weight (kg)
20kg
Control
Electrical
40HQ Stuffing Qty
394
Dimension (mm)
535*420*645

Features

- Touch control
- Big knob
- Program selection
- Luxury and luxurious appearance
- Temp sensor
- Washable filter screen, multiple filtration
- Wall-mounted installation optional

Color option





Mini Dryer



S6

KDV15-EM998

Capacity 1.5kg

Net Weight (kg)

10kg

Control

Electrical

40HQ Stuffing Qty

480

Dimension (mm)

435x368x485

Features

LCD Large screen display
Touch control
Double layer window
Temp sensor
Humidity sensor
Child Lock
Stainless steel inner tub option
Ultraviolet / Blue lamp option
Washable filter screen, multiple filtration
Wall-mounted installation option

Color option



S7

KDV15-EMC108

Capacity 1.5kg

Net Weight (kg)

10kg

Control

Mechanical

40HQ Stuffing Qty

480

Dimension (mm)

435x368x485

Features

Big knob
Double layer window
Cool wind / Heat timer optional
Stainless steel inner tub option
Ultraviolet / Blue lamp option
Washable filter screen, multiple filtration
Wall-mounted installation option

Color option





TOP
LOADING



Outstanding appearance, humanized intelligent technology, with large capacity design, a model of light luxury laundry

Exquisite detail design, refined craftsmanship, and comprehensive upgrade of laundry experience

Back Ctrl Panel



35 ° tilt back control panel,
90 ° perpendicular to line of sight,
clear control panel, no need to bend down

Active Water Jet



Independent water inlet button, easy to operate,
convenient for local pre washing of clothing

Large Caliber Clothing Delivery



Practical and large capacity, the whole family laundry bed
can be cleaned with a single machine,
easily meeting the laundry needs of the whole family.
Large aperture design for easier clothing retrieval

Stainless Steel Six Dimensional Pulsator



High end stainless steel texture, clean and antibacterial,
six dimensional petal shaped design,
stronger water impact,
and more comprehensive cleanliness

Features



DD Inverter motor

Efficient and energy-saving, low noise



Intelligent FUZZY

FUZZY Logic senses loading size will adjust the wash cycle and water level accordingly and make the laundry life much more convenient.



Auto Balance

Automatically detecting when the laundry is out of balance and re-arrange it, to ensure the normal washing process.




Child Lock

It can prevent children's press or careless mistake operations efficiently.




Power-off Memory

The design of this program is very intelligent which can memorise the customary operation program in a period of time. And the wash will fast and convenience next time.



Large Caliber

The 500mm large diameter inner makes it easier to load and place the clothes.



Extra Rinse

The Extra Rinse is mainly used for the underwear and some clothes with the detergent residue limitation. The washing machine will add a rinse if you select this function. It can rinse the clothes more downright.



3D Waterfall

Water fall flow, improving the cleanliness level.



Magic Cleaning Filter

The magic lint filter in the machine not only helps to prevent soap and lint buildup in the laundry tub but also keeps the lint off the clothes. The washing machines collect lint in the bag-type lint filter from which the lint can be removed manually.



Spin Air Dry

With the unique cover design, the water can be taken out from clothes easily by the inner wind circle, effectively improve the dewatering effect.



Fabric Type Selection

Effectively clean clothes made from different fabric.



30 Minute Quick Wash

Shorten the washing time for summer clothes for energy saving.



Delay Start

User can set the delay start time from 1 hour to 24 hours separately. After the time you set runs out, this machine will start to work with the set program.



Transparent Lid

Transparent design door, convenient for consumer to check the laundry status.



Tub Dry

The spin barrel circumscribes in a high speed to make the outside of the barrel dry. Controlling the bacilli and making the washing healthier.



Tub Clean

The function can help with cleaning up the residue and bacterium in the tub.



LED Display

With the LED Display can accurately control the washing process and the pre-washing time.



LED Lighting

Blue light, convenient for checking the washing status of clothes at night.



Buzzer

After the washing process, function activates to remind consumer to dry.



Self-diagnostic

This machine's intelligent fuzzy logic will detect when the laundry is out of balance and re-arrange it, to ensure minimum wear and tear to the drum bearings.

DDM Inverter Motor

The powerful DDM motor is more quiet ,stable,durable and energy saving

High Clean Rate, Better Performance



Directly connect to the drum



Dynamic power
Eliminate stains effectively

You can sleep well with it working at night
(about 28db washing, about 37db in spin)

MG

XQB200-EMD3980 / XQB160-EMD3980 / XQB140-EMD3980

Capacity 20kg / 16kg / 14kg

Net Weight (kg)

20kg: 55 16kg: 52 14kg: 42.5

40HQ Stuffing Qty

20kg: 95 16kg: 96 14kg: 102

Dimension (mm)

20kg: 685x725x1145 16kg: 645x685x1105
14kg: 605x665x1065

Features

DDM Inverter motor
Super jumbo size
Metal body
Active water jet
Big knob, touch control
LED display
European style design
Tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option
Metal body color option



Inverter DirectDrive



Stainless pulsator option



Metal body color option



MG

XQB200-EM3990 / XQB160-EM3990

Capacity 20kg / 16kg

Net Weight (kg)

20kg: 57.5 16kg: 54.5

40HQ Stuffing Qty

20kg: 95 16kg: 96

Dimension (mm)

20kg: 685x725x1145 16kg: 645x685x1105

Features

Color screen touch control
Super jumbo size
Metal body
Active water jet
European style design
Tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option



Stainless pulsator option



Metal body color option



MG

XQB140-EM3990 / XQB120-EM3990 / XQB100-EM3990

Capacity 14kg / 12kg / 10kg

Net Weight (kg)

14kg: 44.5 12kg: 43.5 10kg: 43

40HQ Stuffing Qty

14kg: 102 12kg: 102 10kg: 102

Dimension (mm)

14kg: 605x665x1065 12kg: 605x665x1055
10kg: 605x665x1025

Features

Color screen touch control
Metal body
European Style design
Tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option



Stainless pulsator option



Metal body color option



MG

XQB200-EM3980 / XQB160-EM3980

Capacity 20kg / 16kg

Net Weight (kg)

20kg: 57.5 16kg: 54.5

40HQ Stuffing Qty

20kg: 95 16kg: 96

Dimension (mm)

20kg: 685x725x1145 16kg: 645x685x1105

Features

Super jumbo size
Metal body
Active water jet
Big knob, touch control
LED display
European style design
tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option
Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB140-EM3980 / XQB120-EM3980
XQB100-EM3980 / XQB80-EM3980

Capacity range: 14kg / 12kg / 10kg / 8kg

Net Weight (kg)

14kg: 44.5 12kg: 43.5 10kg: 43 8kg: 38

40HQ Stuffing Qty

14kg: 102 12kg: 102 10kg: 102 8kg: 108

Dimension (mm)

14kg: 605x665x1065 12kg: 605x665x1055
10kg: 605x665x1025 8kg: 580x620x1010

Features

Super Jumbo Size
Metal body
Big knob, Touch control
LED Display
European Style design
tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option
Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB200-EM3950 / XQB160-EM3950

Capacity 20kg / 16kg

Net Weight (kg)

20kg: 57.5 16kg: 54.5

40HQ Stuffing Qty

20kg: 95 16kg: 96

Dimension (mm)

20kg: 685x725x1145 16kg: 645x685x1105

Features

Super jumbo size
Metal body
Active water jet
European style design
tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option
Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB140-EM3950 / XQB120-EM3950 / XQB100-EM3950

Capacity range: 14kg / 12kg / 10kg

Net Weight (kg)

14kg: 44.5 12kg: 43.5 10kg: 43

40HQ Stuffing Qty

14kg: 102 12kg: 102 10kg: 102

Dimension (mm)

14kg: 605x665x1065 12kg: 605x665x1055

10kg: 605x665x1025

Features

Super Jumbo Size
Metal body
European Style design
tempering glass cover with damper
Stainless pulsator option
Gradienter
Blue light option
Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB160-EM3890

Capacity 16kg

Net Weight (kg)

53.5

40HQ Stuffing Qty


96

Dimension (mm)

645x685x1040

Features

- Color screen touch control
- Metal body
- Tempering glass cover with damper
- Stainless pulsator option
- Blue light option
- Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB140-EM3890 / XQB120-EM3890
XQB100-EM3890 / XQB80-EM3890

Capacity 14kg / 12kg / 10kg / 8kg

Net Weight (kg)

14kg: 44 12kg: 43 10kg: 42.5 8kg: 36.5

40HQ Stuffing Qty

14kg: 102 12kg: 102 10kg: 102 8kg: 108

Dimension (mm)

14kg: 605x665x1000 12kg: 605x665x990
10kg: 605x665x960 8kg: 580x620x945

Features

- Color screen touch control
- Metal body
- Tempering glass cover with damper
- Stainless pulsator option
- Blue light option
- Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB160-EMD3880 / XQB140-EMD3880

Capacity 16kg / 14kg

Net Weight (kg)

16kg: 51 14kg: 42

40HQ Stuffing Qty

16kg: 96 14kg: 102

Dimension (mm)

16kg: 645x685x1040 14kg: 605x665x1000

Features

- DDM Inverter motor
- Metal body
- Tempering glass cover with damper
- Touch control
- LED display
- Stainless pulsator option
- Blue light option
- Metal body color option



Inverter DirectDrive



Stainless pulsator option



Metal body color option



MG

XQB160-EM3880 / XQB140-EM3880
XQB120-EM3880 / XQB100-EM3880 / XQB80-EM3880

Capacity 16kg / 14kg / 12kg / 10kg / 8kg

Net Weight (kg)

16kg: 53.5 14kg: 44
12kg: 43 10kg: 42.5 8kg: 36.5

40HQ Stuffing Qty

16kg: 96 14kg: 102
12kg: 102 10kg: 102 8kg: 108

Dimension (mm)

16kg: 645x685x1040 14kg: 605x665x1000
12kg: 605x665x990 10kg: 605x665x960
8kg: 580x620x945

Features


- DDM Inverter motor
- Metal body
- Tempering glass cover with damper
- Touch control
- LED display
- Stainless pulsator option
- Blue light option
- Metal body color option



Stainless pulsator option



Metal body color option



MG

XQB140-EM3860 / XQB120-EM3860
XQB100-EM3860 / XQB80-EM3860

Capacity 14kg / 12kg / 10kg / 8kg

Net Weight (kg)

14kg: 44 12kg: 43 10kg: 42.5 8kg: 36.5

40HQ Stuffing Qty

14kg: 102 12kg: 102 10kg: 102 8kg: 108

Dimension (mm)

14kg: 605x665x1000 12kg: 605x665x990
10kg: 605x665x960 8kg: 580x620x945

Features

- Metal body
- Tempering glass cover with damper
- Stainless pulsator option
- Blue light option
- Metal body color option



Stainless pulsator option



Metal body color option



PG

XQB120-E208 / XQB100-E208
XQB80-E208 / XQB70-E208 / XQB60-E208 / XQB50-E208

Capacity range: 12kg / 10kg / 8kg / 7kg / 6kg / 5kg

Net Weight (kg)

12kg: 38.5 10kg: 38
8kg: 34 7kg: 30 6kg: 26 5kg: 23

40HQ Stuffing Qty


12kg: 102 10kg: 102
8kg: 108 7kg: 150 6kg: 208 5kg: 220

Dimension (mm)

12kg: 620x673x970 10kg: 620x673x955
8kg: 595x620x940 7kg: 577x592x922
6kg: 545x555x895 5kg: 500x510x852

Features

- Tempered glass with color pattern printed
- Soft close lid
- LED light option
- Fuzzy
- Diamond type stainless steel cylinder wall
- Clean barrel
- Child lock



PP

XQB80-E508D / XQB70-E508D / XQB60-E508D / XQB50-E508D

Capacity range: 8kg / 7kg / 6kg / 5kg

Net Weight (kg)

8kg:33 7kg: 29 6kg: 25 5kg: 22

40HQ Stuffing Qty

8kg:108 7kg:150 6kg: 208 5kg: 220

Dimension (mm)

8kg:595x620x940 7kg:577x592x922
6kg:545x555x895 5kg:500x510x852

Features

- Plastic over
- Transparent lid
- LED light
- Fuzzy
- Diamond type stainless steel cylinder wall
- Clean barrel
- Child lock



MP

XQB60-EM529J

Capacity 6kg

Net Weight (kg)

28.5kg

40HQ Stuffing Qty

239

Dimension (mm)

527x534x837

Features

- Metal body
- Water-gushed pulsator
- Folding cover
- Transparent lid
- Air dry
- Child lock
- Fuzzy
- Clean barrel



PG

XQB40-E218

Capacity 4kg

Net Weight (kg)

20.5kg

40HQ Stuffing Qty

276

Dimension (mm)

450x460x796

Features

- Tempered glass with color pattern printed
- Self close lid
- LED light option
- Fuzzy
- Diamond type stainless steel cylinder wall
- Clean barrel
- Child lock
- Baby washer



TWIN TUB



Exquisite detail design
Refined craftsmanship manufacturing

Stainless steel tub



Removable spin tub



3+1 Pulsator



Stainless Steel Filter



Gradienter




FEATURES



Transparent design

Transparent and Visible, can see the wash status in any time



Stainless steel wash tub

It is not easy to age after long-term use, and is more durable



Korean Style printing

Makes the wash exquisite and more fashionable



Magic filter

Effectively filter impurities in water to keep washing water clean




Supper Large Capacity

Much easier for washing big stuff like curtain , sofa cover , sheet , bed sack , etc . Bigger capacity and wash power save your time and effort




Delay Start

Produce powerful divergent water flow for all-round washing, reduce clothing friction, and thoroughly clean clothing



Removable spin tub

Easy detachable , easy to clean the dirty corner around the spin tub , avoid ' 2nd time ' s pollution



1+1 big pulsator

Unique 1+1 pulsator design can generate water to disperse clothes and effectively reduce clothing entanglement



Spray Rinsing

Spray the clothes during spin , quickly wash away residual stains and detergents , clothes much cleaner , save water and energy




3+1 pulsator

Reate swirling water flow and improve washing capacity through multiple powerful rotations of 3+1 large and small pulsator and pulsator impellers



Gradienter design

With a gradienter, the washing is more smooth and stable, and the drying is more stable




High quality PP material

It is not afraid of water, light in weight, easy to carry, rust and deformation



Big power

Powerful motor , full of power , stable and durable



Wide voltage design

Stronger adaptability to voltage and no fear of voltage fluctuation

GE

Capacity Range:20 / 15 / 12 / 11 / 10 / 8.2kg

Net Weight (kg)

20kg: 41.5 15kg: 36 12kg: 31.5
11kg: 30 10kg: 29 8.2kg: 24

40HQ Stuffing Qty

20kg: 82 15kg: 116 12kg: 130
11kg: 130 10kg: 129/144 8.2kg: 178

Dimension (mm)

20kg: 1028x604x1108 15kg: 945x555x1045
12kg: 882x515x1017 11kg: 875x505x1010
10kg: 866x494x990 / 880x506x1002
8.2kg: 786x455x900

Features

- Large transparent glass cover
- Hidden control panel
- Stainless magic filter
- Stainless pulsator option
- Stainless steel wash tub option
- Damper cover (20kg)
- Super size spin tub with easily remove and installation design(20kg)
- Multiple capacity segments available



XPB200-2200SZ(E)

Capacity: 20kg/9kg(10kg optional)
Cover: Tempering glass
SS tub optional



XPB150-2150SZ(E)/XPB150-2150S(E)

Capacity: 15kg/9kg
Cover: Tempering glass
SS tub optional



XPB120-2120S(E)

Capacity: 12kg/7kg
Cover: Tempering glass
SS tub



XPB110-2110ASZ(E)/XPB110-2110AS(E)

Capacity: 11kg/7kg
Cover: Tempering glass
SS tub optional



XPB100-2100S(E)

Capacity: 10kg/7kg
Cover: Tempering glass
SS tub optional
Dimension: 866x494x990mm



XPB100-2100JPZ (E)

Capacity: 10kg/9kg
Cover: Tempering glass
Dimension: 880x506x1002mm



XPB82- 282AS(E)

Capacity: 8.2kg/7kg
Cover: Tempering glass

GL

Capacity Range: 20 / 15 / 11 / 10 / 9kg

Net Weight (kg)

20kg: 41.5 15kg: 35.5 11kg: 31
10kg: 28 9kg: 26

40HQ Stuffing Qty

20kg: 82 15kg: 116 11kg: 130
10kg: 144 9kg: 153

Dimension (mm)

20kg: 1028x604x1108 15kg: 945x555x1045
11kg: 875x510x1015 10kg: 866x494x990
9kg: 832x480x945

Features

- Large transparent glass cover
- Colorful exposed knob
- Multiple capacity segments available
- Stainless magic filter
- Stainless pulsator option
- Stainless steel wash tub option
- Damper cover (20kg)
- Super size spin tub with easily remove and installation design(20kg)
- Multiple capacity segments available



XPB200-2996SZ(E)

Capacity: 20kg / 9kg(10kg optional)
Cover: Tempering glass
SS tub optional



XPB150-2996SZ(E)/XPB150-2996S(E)

Capacity: 15kg/9kg
Cover: Tempering glass
SS tub optional



XPB110-2996SZ(E)/XPB110-2996S(E)

Capacity: 11kg/7kg
Cover: Tempering glass
SS tub optional



XPB100-2996S(E)

Capacity: 10kg/7kg
Cover: Tempering glass
SS tub optional



XPB90-2996S(E)

Capacity: 9kg/7kg
Cover: Tempering glass
SS tub optional



GN

XPB92-292AS(N)
XPB86-286AS(N)

Washing Capacity:9.2kg / 8.6kg
Spinning Capacity:7kg / 7kg

Net Weight (kg)

9.2kg: 26 8.6kg: 25.5

40HQ Stuffing Qty

9.2kg: 144 8.6kg: 160

Dimension (mm)

9.2kg: 866x486x955 8.6kg: 832x473x935

Features

Window with full tempered glass,
color pattern printed
High back control panel
Wide voltage design
Low noise motor system

option



GN

XPB80-280AS(N)

Washing Capacity:8.0kg Spinning Capacity:7kg

Net Weight (kg)

23

40HQ Stuffing Qty


180

Dimension (mm)

786x447x904

Features

Window with full tempered glass,
color pattern printed
Compact design
Upper drainage optional
Low noise motor system
High back control panel



GT

XPB100-2100S(T)

Washing Capacity:10kg Spinning Capacity:7kg

Net Weight (kg)

27

40HQ Stuffing Qty

130


Dimension (mm)

875x495x1001

Features

Large tempered glass panel
All plastic body
Wide voltage design
Upper drainage optional
Low noise motor system
High back control panel

option



GT

XPB92-292S(T)

Washing Capacity:9.2kg Spinning Capacity:7kg

Net Weight (kg)

26.5

40HQ Stuffing Qty

144


Dimension (mm)

866x486x955

Features

Large tempered glass panel
All plastic body
Wide voltage design
Upper drainage optional
Low noise motor system
High back control panel

option





GG XPB92-292AS(G)

Washing Capacity:9.2kg Spinning Capacity:7kg

Net Weight (kg)	40HQ	Stuffing Qty
24.5	144	
Dimension (mm)		
866x486x965		



GG XPB86-286AS(G)

Washing Capacity:8.6kg Spinning Capacity:7kg

Net Weight (kg)	40HQ	Stuffing Qty
24	160	
Dimension (mm)		
832x473x935		



GK XPB92-292AS(K)

Washing Capacity:9.2kg Spinning Capacity:7kg

Net Weight (kg)	40HQ	Stuffing Qty
24.5	144	
Dimension (mm)		
866x486x965		



GK XPB86-286AS(K)

Washing Capacity:8.6kg Spinning Capacity:7kg

Net Weight (kg)	40HQ	Stuffing Qty
24	160	
Dimension (mm)		
832x473x932		



GG XPB80-280AS(G)

Washing Capacity:8kg Spinning Capacity:7kg

Net Weight (kg)	40HQ	Stuffing Qty
21.5	180	
Dimension (mm)		
786x447x904		



GG XPB60-260S(G)

Washing Capacity:6kg Spinning Capacity:5.5kg

Net Weight (kg)	40HQ	Stuffing Qty
19	242	
Dimension (mm)		
741x410x843		



GH XPB100-2100AS(H) / XPB92-292BS(H)

Washing Capacity:10 / 9.2kg
Spinning Capacity:7 / 7kg

Net Weight (kg)	40HQ	Stuffing Qty
10kg: 27.5 9.2kg: 24.5	10kg: 130 9.2kg: 144	
Dimension (mm)		
10kg: 875x495x1001 9.2kg: 866x486x955		



GH XPB86-286AS(H) / XPB80-280BS(H)

Washing Capacity:8.6 / 8kg
Spinning Capacity:7 / 7kg

Net Weight (kg)	40HQ	Stuffing Qty
8.6kg: 24 8.0kg: 24	8.6kg: 160 8.0kg: 160	
Dimension (mm)		
8.6kg: 832x473x932 8.0kg: 804x450x900		



PDW

Capacity Range: 20 / 12.8 / 12 / 11 / 10 / 9.5kg

Net Weight (kg)

20kg: 40 12.8kg: 34 12kg: 29
11kg: 28 10kg: 26 9.5kg: 25

40HQ Stuffing Qty

20kg: 80 12.8kg: 118 12kg: 130
11kg: 130 10kg: 144 9.5kg: 144

Dimension (mm)

20kg: 1040x592x1118 12.8kg: 947x537x1067
12kg: 875x495x1001 11kg: 876x510x1017
10kg: 866x486x950 9.5kg: 855x490x968

Features

Colorful fully transparent ABS cover plate,
brushed decorative strip, integrated appearance patent,
elegant and atmospheric.

Air dry

Jumbo size,super big capacity (20kg)

φ 42cm bigger and new designed pulsator (20kg)

With gradienter to help spin tub loading

Jet waterfall water spary(20kg)

High efficiency magic filter

Super size spin tub with easily remove and installation design(20kg)

Multiple capacity segments available



XPB200-2200DW

Capacity: 20kg / 10kg(9kg optional)
Cover: Plastic Air Dry Function



XPB128-2128DWT

Capacity: 12.8kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB128-2128DW

Capacity: 12.8kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB110-2110DWT

Capacity: 11kg/7kg
Cover: Plastic Air Dry Function



XPB110-2110DW

Capacity: 11kg/7kg
Cover: Plastic Air Dry Function



XPB95-295DW

Capacity: 9.5kg/7kg
Cover: Plastic Air Dry Function



XPB120-2888DW

Capacity: 12kg/7kg
Cover: Plastic Air Dry Function



XPB100-2888DW

Capacity: 10kg/7kg
Cover: Plastic Air Dry Function


PTJ

Capacity Range: 20 / 12.8 / 9.5 / 8 / 6kg

Net Weight (kg)		
20kg:	40.5	12.8kg: 36
8kg:	22	6kg: 18
9.5kg:	25	
40HQ Stuffing Qty		
20kg:	80	12.8kg: 114
8kg:	178	9.5kg: 144
6kg:	222	
Dimension (mm)		
20kg:	1040x592x1183	12.8kg: 947x537x1107
9.5kg:	855x490x1008	8kg: 786x447x924
6kg:	741x410x878	

Features

- European high bach control panel
- Air dry
- Jumbo size,super big capacity
- φ 42cm bigger and new designed pulsator (20kg)
- With gradienter to help spin tub loading
- High efficiency magic filter
- Super size spin tub(20kg)
- Multiple capacity segments available



XPB200-2200TJ

Capacity: 20kg/10kg
Cover: Plastic Air Dry Function



XPB128-2128TJ

Capacity: 12.8kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB95-295TJ

Capacity: 9.5kg/7kg
Cover: Plastic Air Dry Function



XPB80-280TJ

Capacity: 8kg/7kg
Cover: Plastic Air Dry Function



XPB60-260TJ

Capacity: 6kg/5.5kg
Cover: Plastic Air Dry Function

PTL

Capacity Range: 20 / 12.8 / 11 / 9.5 / 8.6 / 8kg

Net Weight (kg)

20kg: 40.5 12.8kg: 35 11kg: 28.5
9.5kg: 25.5 8.6kg: 23 8kg: 21.5

40HQ Stuffing Qty


20kg: 80 12.8kg: 118 11kg: 130
9.5kg: 144 8.6kg: 156 8kg: 180

Dimension (mm)

20kg: 1040x592x1118 12.8kg: 947x537x1067
11kg: 876x510x1017 9.5kg: 855x490x968
8.6kg: 832x473x900 8kg: 786x447x890

Features

- High-end transparent ABS window design
- Air dry
- Jumbo size,super big capacity
- High efficiency magic filter
- Wide voltage design
- Low noise motor system
- Multiple capacity segments available



XPB200-2200TLD

Capacity: 20kg / 10kg(9kg optional)
Cover: Plastic Air Dry Function



XPB128-2128TLD

Capacity: 12.8kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB110-2110TLD

Capacity: 11kg/7kg
Cover: Plastic Air Dry Function



XPB95-295TLD

Capacity: 9.5kg/7kg
Cover: Plastic Air Dry Function



XPB86-286TLD

Capacity: 8.6kg/7kg
Cover: Plastic Air Dry Function



XPB80-280TLD

Capacity: 8kg/7kg
Cover: Plastic Air Dry Function

PTW

Capacity Range: 20kg / 15kg / 11kg

Net Weight (kg)

20kg:36 15kg:30 11kg:27

40HQ Stuffing Qty

20kg:82 15kg:116 11kg:130

Dimension (mm)

20kg:1028x604x1117 15kg:945x550x1050
11kg:875x495x1005

Features

Double Layer

- Art curve modeling, all transparent cover design
- Special Ladder shaped spin air dry ring design
- Coloured transparent ABS covers
- Super Size , Super capacity
- Jet waterfall water spary
- Stainless steel magic filter
- Removable spin tub



XPB200- 2200TW

Capacity: 20kg / 9kg(10kg optional)
Cover: Plastic Air Dry Function



XPB150- 2150TW

Capacity: 15kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB110- 2110TW

Capacity: 11kg/7kg
Cover: Plastic Air Dry Function

PCW

Capacity Range: 20kg / 15kg / 11kg

Net Weight (kg)

20kg:36 15kg:32 11kg:27

40HQ Stuffing Qty

20kg:82 15kg:116 11kg:130

Dimension (mm)

20kg:1028x604x1117 15kg:945x550x1050
11kg:875x495x1005

Features

Double Layer

Art curve modeling, all transparent cover design

Tornado spin air dry ring design


Coloured transparent ABS covers

Super Size , Super capacity

Jet waterfall water spary

Stainless steel magic filter

Removable spin tub



XPB200- 2200CW

Capacity: 20kg / 9kg(10kg optional)
Cover: Plastic Air Dry Function



XPB150- 2150CW

Capacity: 15kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB110- 2110CW

Capacity: 11kg/7kg
Cover: Plastic Air Dry Function

PD

Capacity Range: 20 / 12.8 / 11 / 9.5 / 8.6 / 8 / 7 / 6 / 5 / 4.5kg

Net Weight (kg)

20kg:40.5	12.8kg:33	11kg:28	9.5kg: 25
8.6kg:23	8.0kg:22	7.0kg:19.5	6.0kg:18
5.0kg:16	4.5kg:16		

40HQ Stuffing Qty


20kg: 80	12.8kg:118	11kg:130	9.5kg:144
8.6kg:160	8.0kg:182	7.0kg:220	7.0kg(AH):209
6.0kg:242	5.0kg:266	4.5kg:266	

Dimension (mm)

20kg: 1040x592x1118	12.8kg: 947x537x1067
11kg: 876x510x1017	9.5kg: 855x490x968
8.6kg: 832x473x932	8.0kg: 804x450x871
7.0kg: 745x420x880	6.0kg: 741x410x843
5.0kg: 690x400x825	4.5kg: 690x400x780

Features

- Air dry
- Compact design
- Transparent window option
- Jumbo size,super big capacity
- High efficiency magic filter
- Wide voltage design
- Low noise motor system
- Multiple capacity segments available



XPB200-2200AS(D)

Capacity: 20kg / 10kg(9kg optional)
Cover: Plastic Air Dry Function



XPB128-2128AS(D)

Capacity: 12.8kg / 9kg(7kg optional)
Cover: Plastic Air Dry Function



XPB110-2110AS(D)

Capacity: 11kg/7kg
Cover: Plastic Air Dry Function



XPB95-295AS(D)

Capacity: 9.5kg/7kg
Cover: Plastic Air Dry Function



XPB86-286AS(D)

Capacity: 8.6kg/7kg
Cover: Plastic Air Dry Function



XPB80-280SF(D)

Capacity: 8kg/6kg
Cover: Plastic Air Dry Function



XPB70-270S(D) / XPB70-270S(D)-AH

Capacity: 7kg/6kg
Cover: Plastic Air Dry Function



XPB60-260S(D)

Capacity: 6kg/5.5kg
Cover: Plastic Air Dry Function



XPB50-250S(D)

Capacity: 5kg/3.5kg
Cover: Plastic Air Dry Function



XPB45-218AS(D)

Capacity: 4.5kg/3.5kg
Cover: Plastic Air Dry Function

PP

Capacity Range: 18 / 12.8 / 11 / 10 / 8.6 / 8 / 7 / 6.5 / 6 / 5.5 / 4.5 / 4.2 / 3.2kg

Features

- Compact design
- Transparent window option
- Jumbo size,super big capacity
- High efficiency magic filter
- Super size spin tub with easily remove and installation design(18kg)
- Wide voltage design
- Low noise motor system
- Multiple capacity segments available



XPB180-2180S

Capacity: 18kg / 10kg(9kg optional)
N.W.: 40.5kg 40HQ: 80pcs
Dimension:1040x592x1118mm



XPB180-2180S(D)

Capacity: 18kg / 10kg(9kg optional)
N.W.: 40.5kg 40HQ: 80pcs
Dimension:1040x592x1118mm



XPB128-2128S

Capacity: 12.8kg / 9kg(7kg optional)
N.W.: 33kg 40HQ: 118pcs
Dimension:947x537x1067mm



XPB128-2128S(D)

Capacity: 12.8kg / 9kg(7kg optional)
N.W.: 33kg 40HQ: 118pcs
Dimension:947x537x1067mm



XPB128-2128S(A)

Capacity: 12.8kg / 9kg(7kg optional)
N.W.: 33kg 40HQ: 118pcs
Dimension:947x537x1067mm



XPB110-2110S

Capacity: 11kg/7kg
N.W.: 28.5kg 40HQ: 130pcs
Dimension:876x510x1017mm



XPB110-2110S(D)

Capacity: 11kg/7kg
N.W.: 28.5kg 40HQ: 130pcs
Dimension:876x510x1017mm



XPB110-2110S(A)

Capacity: 11kg/7kg
N.W.: 28.5kg 40HQ: 130pcs
Dimension:876x510x1017mm



XPB100-2100JP

Capacity: 10kg / 7kg(9kg optional)
N.W.: 27kg 40HQ: 130pcs
Dimension:880x500x983mm

**XPB95-295S(A)**

Capacity: 9.5kg/7kg
N.W.: 25kg 40HQ': 144pcs
Dimension: 855x490x968mm

**XPB95-295S**

Capacity: 9.5kg/7kg
N.W.: 25kg 40HQ': 144pcs
Dimension: 855x490x968mm

**XPB90-290JP**

Capacity: 9.0kg/7kg
N.W.: 22.5kg 40HQ': 156pcs
Dimension: 832x473x900mm

**XPB65-2558S**

Capacity: 6.5kg/5.5kg
N.W.: 19kg 40HQ': 220pcs
Dimension: 745x420x853mm

**XPB60-260JP**

Capacity: 6kg/5.5kg
N.W.: 18.5kg 40HQ': 242pcs
Dimension: 741x410x900mm

**XPB60-260JPD**

Capacity: 6kg/5.5kg
N.W.: 18.5kg 40HQ': 242pcs
Dimension: 741x410x900mm

**XPB86-286BS(A)**

Capacity: 8.6kg/7kg
N.W.: 23kg 40HQ': 156pcs
Dimension: 832x473x900mm

**XPB80-280AS(A)**

Capacity: 8kg/7kg
N.W.: 23kg 40HQ': 156pcs
Dimension: 832x467x905mm

**XPB80-2558S**

Capacity: 8kg/7kg
N.W.: 22kg 40HQ': 180pcs
Dimension: 786x447x890mm

**XPB60-2558S**

Capacity: 6kg/5.5kg
N.W.: 18.5kg 40HQ': 240pcs
Dimension: 741x410x843mm

**XPB55-228S**

Capacity: 5.5kg/5.5kg
N.W.: 18.5kg 40HQ': 242pcs
Dimension: 741x410x838mm

**XPB45-258S**

Capacity: 4.5kg/3.5kg
N.W.: 17kg 40HQ': 266pcs
Dimension: 690x400x825mm

**XPB70-299SF**

Capacity: 7kg/6kg
N.W.: 22kg 40HQ': 182pcs
Dimension: 804x450x871mm

**XPB70-2558S**

Capacity: 7.0kg/5.5kg
N.W.: 19kg 40HQ': 209pcs
Dimension: 745x420x880mm

**XPB65-265AS(G)**

Capacity: 6.5kg/5.5kg
N.W.: 19.5kg 40HQ': 220pcs
Dimension: 745x420x880mm

**XPB45-218S**

Capacity: 4.5kg/3.2kg
N.W.: 16kg 40HQ': 266pcs
Dimension: 690x400x780mm

**XPB42-248S**

Capacity: 4.2kg/3.2kg
N.W.: 16.5kg 40HQ': 335pcs
Dimension: 674x380x760mm

**XPB32-230S**

Capacity: 3.2kg/2kg
N.W.: 13.5kg 40HQ': 399pcs
Dimension: 586x360x685mm

SG

Capacity Range: 15 / 12 / 8kg

Net Weight (kg)

15kg: 18.5 12kg: 15 8kg: 12

40HQ Stuffing Qty

15kg: 156 12kg: 214 8kg: 299

Dimension (mm)

15kg: 593x583x950 12kg: 555x539x940
8kg: 524x445x845

Features

- Transparent glass cover with damper
- Hidden control panel
- Large capacity design
- All plastic body
- Wide voltage design
- Low noise motor system
- High back control panel
- Multiple capacity segments available



XPB150-1998Z

Capacity: 15kg
Cover: Tempering glass



XPB120-1998Z

Capacity: 12kg
Cover: Tempering glass



XPB80-1998

Capacity: 8kg
Cover: Tempering glass



SP

Capacity Range: 15 / 12 / 8kg

Net Weight (kg)

15kg: 19 12kg: 15 8kg: 11

40HQ Stuffing Qty

15kg: 156 12kg: 214 8kg: 299

Dimension (mm)

15kg: 580x570x950 12kg: 555x525x928
8kg: 524x445x845

Features

Large capacity design

All plastic body

Wide voltage design

Low noise motor system

High back control panel

Multiple capacity segments available



XPB150-198D / XPB150-198

Capacity: 15kg
Cover: Plastic



XPB150-1500

Capacity: 15kg
Cover: Plastic



XPB120-198D / XPB120-198

Capacity: 12kg
Cover: Plastic



XPB80-188

Capacity: 8kg
Cover: Plastic



MINI
WASHER



MG

MG10-EM998

Washing Capacity: 1.0kg Dryer Capacity: 0.6kg

Net Weight (kg)
21.5
40HQ Stuffing Qty
384
Dimension (mm)
390x415x518

Features

Touch color screen control panel
Smart Dosing, automatic detergent dispenser
DD Motor, more static, more stable, more surging
Innovative Seamless inner tube, Integrated molding, healthy care
Liquid self balancing system, Smooth and silent;
8° Inclined bucket, Golden angle;
Mini washer, Soft and delicate washing, Protect your underwear and baby' s clothes



1.0KG Wash Capacity
0.6KG Dry Capacity

Color option



SW

MP15-16

Capacity: 1.5kg

Net Weight (kg)
2.3kg
40HQ Stuffing Qty
1666
Dimension (mm)
300x310x320

Features

Ozone Sterilization optional
High temperature heating optional
Automatic water inlet and drain
Silver ion sterilization
Blue Lamp
Multiple wash program
Reversible pulsator imitating hand washing



White



Dark green Light blue Light pink

Color optional

